


How to Assemble the Miyamoto Triangle Stand

(patent pending)



July 2023

Check the Parts



- a. Wooden Base x 3
- b. Metal Pole x 3
- c. Wooden Pole x 3
(x2 long, x1 short)
- d. Leather Belt x 3
- e. Caster x 3
- f. Wrench x 1 (tool)

Step by Step Instruction


① Form the wooden base (a) into a triangle



Assemble the wooden base (a) into a triangle by layering the edges with the shorter side of the bars facing in. The metal plate should be facing up. Once assembled, it should form a triangle with a level surface.

Step by Step Instruction


② Attach the metal poles (b) and casters (e)



1. Insert casters (e) through the holes on the bottom of the triangle base and place it on a flat surface.
2. Hold the caster with one hand and attach a metal pole (b) with another hand by rotating the pole clockwise with the triangle base in between (screw hole side down).
3. Use the wrench tool (f #19) to hold the caster in place and tighten the pole.

Step by Step Instruction


③ Insert the wooden poles (c)



Insert the wooden pole (c) into the opening at the top of each metal pole (b). Use the longer wooden poles for the two corners with the metal plate in between, and the shorter wooden pole for the opposite corner. The metal plate on the base is the audience facing side.

Step by Step Instruction

④ Hang the taiko using the leather belts (d)



①



②



③

- ① Place one end of the leather belt (d) into the pin at the top of a wooden pole (c). Rough side of the leather should be facing UP
- ② Loop the belt through the handle (Neiro hirado), rope (okedo/roped shime) or metal ring (bolted shime) on the taiko under and over, and place the other end of the belt into the same pin
- ③ Adjust the height by switching the holes on the belts while lifting the taiko.
- ④ Click [here](#) for a DIY tutorial to use the Triangle Stand with Roland's TAIKO-1[®] (turn on CC for English)

Assembly Complete!



Okedo Taiko
(Katsugi or Okejime)



Neiro Hirado Taiko



Neiro Shime Daiko



Hanebyoshi Daiko

Triangle Stand Size Availability:

For Shime Daiko (fits roped/bolted Namitsuke to Gochogake & Neiro Shime Daiko) – \$300

For Neiro Hirado Taiko (also fits Hanebyoshi Daiko & TAIKO-1®) – \$330

For 1.6-shaku (48cm) Okedo Taiko (also fits 1.5-shaku Okedo) – \$350

For 1.8-shaku (54cm) Okedo Taiko (also fits 1.7-shaku Okedo & Jibyoshi Daiko) – \$350

For 2.0-shaku (60cm) Okedo Taiko (also fits 1.9-shaku Okedo) – \$350